

Weekend updates

Marcin Chrząszcz¹, Nicola Serra¹

¹ University of Zurich



**University of
Zurich**^{UZH}


February 23, 2015

Weight correlation with B mass

- First thing that come to my mind was the different treatment of background in different methods.
- Performed a Pearson correlation check for low and high recoil on data sidebands.


$0.1 \text{ GeV}^2 q^2 < 8 \text{ GeV}^2$

Graph



$15 \text{ GeV}^2 q^2 < 19 \text{ GeV}^2$


Graph



- Clear correlation between mass and unfolding weight.
- Impact on the analysis has to be studied.

First bin problem


- I already mentioned this and no one is worried so this is my final calling to everyone caution.
- All right side band events ($M_B > 5350\text{MeV}$) are coming from 2012. There are no background events in 2011 data!
- Optimistic calculation:
 - 21 events in 3 fb^{-1} , 7 events per fb^{-1} .
 - Probability to expect 7 events and observed 0 is 0.0009 which corresponds to 3.3σ significance!
 - Taking into account look elsewhere effect(14 bins):
 $14 \times 0.0009 = 0.0126$, this is like 2.4σ .




Comparison of Chebyshev fit

- Since I wanted to compare more in detail the difference between left and right sideband I fitted a Chebyshev to them separately.
- All plots: `wget --user=lhcb --password=2924 http://nz17-p1.ifj.edu.pl/work_public/LHCb/Kst_mumu/Bkg_studies/plots.tar.gz`
- Over all I see a tension.

Left:



Right:



rof

To conclude:

- There are too many hints of something being wrong.
- I know some of you will say: "Statistically insignificant", but if you add them up you are looking at something that is starting to be significant.

