

# Trigger impact on MVA



Marcin Chrzęszcz<sup>1,2</sup>

<sup>1</sup> University of Zurich , <sup>2</sup> Institute of Nuclear Physics, Krakow,





November 25, 2013



University of  
Zurich <sup>UZH</sup>



# Impact of the trigger for the distributions



# Trigger efficiency

let's look on the implications of trigger<sup>1</sup> for our classifier studies:

- Signal efficiency ( $\epsilon_{trig} = \frac{n_{evets,preselection+trig}}{n_{evets,preselection}}$ )

$$\epsilon_{trig} = 0.928385$$

- $\epsilon_{c\bar{c}} = 0.607188$

- $\epsilon_{b\bar{b}} = 0.624879$





- 1 Loosing over  $\frac{1}{3}$  of training events is very not nice ;(
- 2 But maybe they look very similar to our triggered bck? Would explain why BDT didn't learn how to reject them efficiently.

---

<sup>1</sup>TriggerTOSHlt2TriMuonTauDecision||  
TriggerTOSHlt2CharmSemilep3bodyD2KMuMuDecision





# Distributions

UP row  $b\bar{b}$ , down  $c\bar{c}$







# Distributions

UP row  $b\bar{b}$ , down  $c\bar{c}$







# Distributions

UP row  $b\bar{b}$ , down  $c\bar{c}$







# Distributions

UP row  $b\bar{b}$ , down  $c\bar{c}$



# Distributions





UP row  $b\bar{b}$ , down  $c\bar{c}$









# Distributions

UP row  $b\bar{b}$ , down  $c\bar{c}$







# Distributions

UP row  $b\bar{b}$ , down  $c\bar{c}$







# Distributions

UP row  $b\bar{b}$ , down  $c\bar{c}$







# Distributions

UP row  $b\bar{b}$ , down  $c\bar{c}$







# Distributions

UP row  $b\bar{b}$ , down  $c\bar{c}$







# Distributions

UP row  $b\bar{b}$ , down  $c\bar{c}$







# Distributions

UP row  $b\bar{b}$ , down  $c\bar{c}$



# Distributions





UP row  $b\bar{b}$ , down  $c\bar{c}$









# Distributions

UP row  $b\bar{b}$ , down  $c\bar{c}$







# Distributions

UP row  $b\bar{b}$ , down  $c\bar{c}$







# Distributions

UP row  $b\bar{b}$ , down  $c\bar{c}$







# Distributions

UP row  $b\bar{b}$ , down  $c\bar{c}$



# Distributions





UP row  $b\bar{b}$ , down  $c\bar{c}$



M.Chrzęszcz 2013

# Distributions





UP row  $b\bar{b}$ , down  $c\bar{c}$



M.Chrzęszcz 2013

# Distributions





UP row  $b\bar{b}$ , down  $c\bar{c}$



M.Chrząszcz 2013

# Distributions

UP row  $b\bar{b}$ , down  $c\bar{c}$



M.Chrzęszcz 2013




# Distributions


- There are some small hints: IP Significance is a bit different, and they are worse isolated
- Was hoping to see something more.
- Maybe the answer is the correlations inside BDT?

# Distributions

## Correlation Matrix (background)



## Correlation Matrix (background)



# Distributions

- Again nothing, wrrrrrrrrrr :(
- Last day I had a chat with Paul and he suggested to train 2 classifiers(with trigger veto and without) and to test them on data.
- Seems like definite way.

# BDT comparison

- Did a fast preliminary test yesterday.
- Looks like we gain on selecting the trigger on the TMVA level.(VERY preliminary!)

# Number of variables in BDT

- i asked my self a question how much variables we need to put inside our BDT.
- You don't want to put to much, or to little.
- Used the lasso method.

LINK

